Texas Crop Weather

Texas
Agricultural
Statistics
Service

Released: July 19, 2004 (3:00 P.M. CDT) For the week of July 12 - 18, 2004 TX-CW2904

1-800-626-3142 www.nass.usda.gov/tx

Crop Progress Table - July 18, 2004

Grop Progress Table - 301y 10, 2004										
Crop	2004	2003	Average 1999-2003							
		Percent								
Corn										
Silked	85	83	82							
Dough	63	64	62							
Dented	57	49	51							
Mature	21	29	33							
Harvested	2	2	5							
Cotton										
Squaring	80	68	80							
Setting Bolls	33	26	34							
Bolls Opening	5	5	7							
Peanuts										
Pegging	78	65	68							
Rice										
Headed	58	72	79							
Sorghum										
Planted	98	97	99							
Headed	53	50	58							
Turning Color	44	44	45							
Mature	33	33	34							
Harvested	25	20	27							
Wheat										
Harvested	100	97	98							
Other Field Crops										
Harvested										
Oats	100	99	99							

Crop Condition Table - July 18, 2004

Item	Excellent	cellent Good		Poor	Very poor				
		<u>Percent</u>							
Corn	47	40	11	2	0				
Cotton	20	40	25	10	5				
Peanuts	22	57	20	1	0				
Rice	12	57	31	0	0				
Sorghum	27	50	15	6	2				
Range & Pasture	20	41	25	8	6				

Agricultural Summary: Summer crops progressed as hot, dry weather took hold of the State. Irrigation on corn, cotton, sorghum, and soybeans was in full swing in the Panhandle and Plains as minimal rains were received across the regions. Scattered thunderstorms were seen in the Trans Pecos, where repairs of fences, corrals, and roads continued. Hay baling was in full swing across the State as some producers in drier areas were able to cut for the first time after the rains. Some alfalfa producers were on their third cutting. In the southern regions, harvest of sorghum, corn, sunflowers and cotton was gaining momentum.

Field Crops Report

Small Grains: Field work resumed on wheat ground in the Plains as harvest was complete. Wet field conditions during harvest may have had a negative effect on yields in that area. Preparations for next season's wheat crop were underway.

Corn: Corn was looking excellent in the Panhandle with minimal insect

pressure. Irrigation was in full swing and some smut was appearing in hail damaged fields. Blacklands corn has seen smut and rust, but producers don't predict a change in yield due to the maturity of the crop. However, rust may effect corn for silage. Harvest in Central Texas and the Upper Coast drew closer and had begun on a limited basis in South Texas and the Coastal Bend. Rio Grande Valley corn harvest was in full swing. Statewide, corn condition was rated at 95 percent of normal compared with 57 percent last year.

Cotton: Cotton progression continued. Plants were at all stages in the Panhandle. Some defoliant was applied in some areas to control overgrowth. Very light insect pressure was reported in the Plains. Some dryland fields in the region needed moisture desperately as some plants never emerged and some burned just after emergence. Irrigated land continued to flourish. Minimal replanting was necessary in the Plains due to hail, but less acreage than in previous years. Pests in the Blacklands were reported , although most producers were getting a handle on boll weevils and worms. Trans Pecos cotton was squaring and was being irrigated. Central and South Central regions were doing well with some limited irrigation occurring. Cotton in the Coastal Bend was nearing harvest and harvest was underway in the Rio Grande Valley. Statewide, cotton condition was rated at 76 percent of normal compared with 62 percent last year.

Sorghum: Irrigation was active in the Plains and Panhandle. Some late sorghum, planted behind failed cotton, needed moisture desperately. Sorghum in the South Plains was beginning to change colors. Blacklands sorghum was nearing harvest and a majority of the crop looked promising. Some midge spraying was going on. Combining in South Central Texas had begun. Some areas of the Coastal Bend were still too wet for harvest. Harvest was near completion in South Texas and the Lower Valley with some late planted sorghum still being irrigated. Statewide, sorghum condition was rated at 85 percent of normal compared with 68 percent last year.

Peanuts: Peanuts looked good overall. No problems were reported. Statewide, peanut condition was rated at 88 percent of normal compared with 86 percent last year.

Rice: Rice was in excellent condition. Some fields seemed to be maturing more rapidly than others. Some early rice fields were being drained. Statewide, rice condition was rated at 83 percent of normal, compared with 91 percent last year.

Fruit, Vegetable and Specialty Crop Report

In the **San Antonio-Winter Garden**, Watermelon and cantaloupe harvest was complete. Case bearer monitoring in pecans continued.

In the **High Plains**, pumpkins were looking good and making good progress. Producers were spraying fungicides. Peaches were being harvested.

In the **Trans-Pecos**, spring onion harvest was reported. Wine grape harvest was to begin this week. Pecan nuts were developing.


In **East Texas**, peach harvest continued. Blueberry harvest was winding down. Small vegetable crops were being harvested for canning and preserves.

Livestock, Pasture and Range Report

Livestock were in good to excellent condition, aided by good growth of range and pastures. Haying continued across the state as dry conditions allowed producers to bale away. Several alfalfa fields in the state were on the third cutting. There is no doubt there will be an abundance of hay over the winter months. Supplemental feeding had picked up and livestock were requiring more water in several areas as the heat became an issue. Some pastures were burned by the heat. Stock pond levels were slowly deteriorating as the summer climate returned, especially in areas of the Plains and Trans Pecos. Cross Timbers range and pasture conditions still remained favorable from June rains. Livestock remained in excellent condition. East Texas cattle were seeing some heat stress as some dairy cattle had shown a decrease in milk production. Grasses in the east were still green and there were minimal problems with grasshoppers.

Weather Information Table 1

National Weather Service Climatic Divisions	Previous week (July 12 - 18) Accumulation	Month-to-date (July 1 - 18) Accumulation	Year-to-date (Jan 1 - Jul 18) Accumulation	1961-90 Annual Normal	Previous three months (Apr - Jun) Percent of Normal
High Plains	0.20	0.55	11.62	18.87	105
Low Rolling Plains	0.04	0.28	13.73	23.78	88
North Central Texas	0.00	0.36	21.32	34.00	119
East Texas	0.15	0.66	28.49	45.69	124
Trans Pecos	0.08	0.09	6.74	12.96	115
Edwards Plateau	0.05	0.05	14.54	24.01	122
South Central Texas	0.05	0.38	19.72	34.48	126
Upper Coast	0.05	1.19	33.84	47.63	161
South Texas	0.07	0.15	11.74	23.49	100
Lower Valley	0.10	0.32	14.61	25.34	142



Top Soil Moisture by District - July 18, 2004 *

					-		-		-						
Condition	1-N	1-S	2-N	2-5	3	4	5-N	5-S	6	7	8-N	8-S	9	10-N	10-S
	Percent of Acreage														
Very Short	3	19	15	9	10	2	0	2	51	16	0	0	3	2	0
Short	27	22	28	44	51	25	18	6	37	29	9	29	9	31	60
Adequate	67	52	54	47	39	66	75	83	12	51	84	62	75	63	40
Surplus	3	7	3	0	0	7	7	9	0	4	7	9	13	4	0

^{*} High Plains: 1-N, 1-S; Low Rolling Plains: 2-N, 2-S; North Central Plains: 3, 4; East Texas: 5-N, 5-S. Trans-Pecos: 6; Edwards Plateau: 7; South Central Texas: 8-N, 8-S; Upper Coast: 9; South Texas: 10-N; Lower Valley: 10-S.

Cooperating Agencies:

Texas Agricultural Extension Service, Texas Department of Agriculture, National Weather Service.

Penalty for Private Use, \$300

¹ Average of all stations reporting precipitation data.